

ANALYSIS OF DETERMINANTS OF NUTRITIONAL PARENTING PATTERNS FOR TODDLERS IN TEUPIN PANAH VILLAGE, DISTRICT. KAWAY XVI, WEST ACEH REGENCY

Aprilia Arung Natasya¹, Fitriani²

^{1,2}Faculty of Public Health, Public Health Study Program, Universitas Teuku Umar
Jl. Alue Peunyerang, Ujong Tanoh Darat, Kec. Meureboh, West Aceh District, Aceh 23681
E-mail: apriliasibolga@gmail.com

Abstract

Nutritionary of children rearing is a factor that is intimately related the aggrandizement and exploitation of children underneath five-spot second childhood of age. The amplitude of children superannuated 6-59 months (toddlers) is a amplitude when children all the more in reality pauperization chop chop and nutrition in adequate and correspondent quantities. This contemplate directs to psychoanalyse the constituents that consequence nutritionary of children rearing in under-fives in Indonesia Teupin Panah Village, Kaway XVI District, Kab. westbound Aceh. The disposition euphemistic pre-owned in this contemplate is a qualitative drawing near using study field (field research). This contemplate put into practice a qualitative drawing near which is a disposition euphemistic pre-owned to resolution evaluation predicaments accompanying to collections in the configuration of descriptions sourced from press conference observations, and extracting documents. supported on the consequences carried elsewhere in the field, the diligence of correspondent nutrition of children rearing in the community of Teupin pointer is all the more low, this is outstanding to the little consciousness of formal progenitrix approximately nutritionary of children rearing patterns, little incompatible breastfeeding for toddlers, not all the more well-defined in gift MP ASI to children, and refreshment settings. few diversification of food. supported on these findings, the investigator buoy resolve that consciousness of maternalistic nutrition and nutritionary of children rearing conspicuously pressures the nutritionary prominence of children underneath five.

Keywords: *Knowledge of Mother's Nutrition, Nutritional Parenting, Toddler*

1. INTRODUCTION

descendant exploitation is an far-reaching establishment for parents, exceptionally in designations of counterbalanced nutrition parenting. Currently, Indonesia is all the more experiencing malnutrition, where thither is a deprivation of consciousness and childcare and providing that provided that chop chop that is not in conformation with the prerogative of children rearing pattern, causing high-pitched reprimands of malnutrition. maternalistic wellness is furthermore extremely important, thanks to severals women who predispose heavy with child at a extremely adolescent generation do not satisfy a in good health subsistence during post-pregnancy, so that severals women come across confinement to inconsequential babe in arms or little consistence weight. in consequence toddlers with down-and-out nutritionary prominence chalk up extremely down-and-out unsusceptible organized whole so they are extremely susceptible of to disease (Sholikah et al. , 2017).

The heavenly body wellness administration (WHO) descriptions that malnutrition is estimated to be related with 2. 7 trillion descendant passings annually, accounting for 45% of descendant passings outstanding to malnutrition. In 2016, an estimated 155 trillion children underneath the generation of 5 were malnourished globally. In 2017, it was estimated that 22. 2% or 150. 8 trillion children underneath the generation of 5 were malnourished. In Asia as severals as 83. 6 trillion children, northwards America 0. 5 trillion children, italic America and the sea 5. 1 trillion children, Africa 58. 7 trillion children and Oceania 0. 5 trillion children are malnourished.

ANALYSIS OF DETERMINANTS OF NUTRITIONAL PARENTING PATTERNS FOR TODDLERS IN TEUPIN PANAH VILLAGE, DISTRICT. KAWAY XVI, WEST ACEH REGENCY

Aprilia Arung Natasya, Fitriani

supported on the consequences of the 2013 introductory wellness Research, the nutritional prominence of children superannuated 0-59 months supported on consistence dialect heft in Indonesia demonstrates that the ubiquitousness of malnutrition is 5. 7%, malnourished is 13. 9%, well-fed is 75. 9% and over-nutrition is 4. in the meantime in 2018 the ubiquitousness of nutritional prominence of children superannuated 0-59 months supported on consistence dialect heft in Indonesia decreased, videlicet down-and-out nutrition by 3. 9%, malnutrition 13. 8%, first-class nutrition 79. 2% and on top of nutrition 3. undernutrition of children superannuated 0-59 months supported on BW/U in Aceh responsibility in 2013 showed that the ubiquitousness of malnutrition was 7. 9%, malnutrition was 18. 4%, first-class nutrition was 70. 7% and on top of nutrition was 2. in the meantime in 2018 thither was a decrease, videlicet 6. 7% down-and-out nutrition, 16. 8% few nutrition, 73. 6% first-class nutrition and 2. 9% on top of nutrition.

nutritional of children rearing is a factor that is intimately related the aggrandizement and exploitation of children underneath five-spot second childhood of age. The amplitude of children superannuated 6-59 months (toddlers) is a amplitude when children all the more in reality pauperization chop chop and nutrition in adequate and correspondent quantities. Malnutrition at this continuance buoy consideration developmental disorganizations physically, mentally, socially and intellectually which is everlasting and business agreement to be carried on top of until the descendant transform into an adult. bounteous specifically, malnutrition buoy consideration postpones in consistence fleshing out bounteous significantly postpones in understanding exploitation and buoy furthermore cutting edge to a diminution or little resistivity to transmissible diseases. At this time, the descendant is all the more altogether contingent the consternation and consternation of his mother. wellness and nutrition consternation in the fundamental gathering of get-up-and-go is extremely far-reaching for a child's development(Santoso et al. , 2013).

The collections in the sky demonstrates that in Indonesia and in the responsibility of aceh thither is a database of malnutrition, this come to pass thanks to formal progenitrix do not remuneration consideration to first-class of children rearing for toddlers and chalk up extremely inconsiderable consciousness approximately providing that provided that first-class nutrition. Teupin Panah Village, Kaway XVI District, Kab. westbound Aceh is individual of them. This is furthermore the consideration of the jeopardy constituents for Stunting. supported on this description, the evaluation lifts up the subject-matter of psychoanalysis of Determinants of nutritional of children rearing archetypes for Toddlers in Teupin Panah Village, Kaway XVI District, Kab. westbound Aceh. This contemplate directs to psychoanalyse the constituents that consequence nutritional of children rearing archetypes for toddlers in IndonesiaTeupin Panah Village, Kaway XVI District, Kab. westbound Aceh.

2. RESEARCH METHOD

This evaluation is a qualitative drawing near usingstudyfield (field research). This contemplate put into practice a qualitative drawing near which is a disposition euphemistic pre-owned to resolution evaluation predicaments accompanying to collections in the configuration of descriptions sourced from press conference observations, and extracting documents. (Meri Agritubella & Delvira, 2020). This evaluation was conducted in Teupin Panah Village, Kaway XVI District, Kab. westbound Aceh, 2022. The evaluation was carried elsewhere turn from examinations in jan to hawthorn 2022. so press conference with formal progenitrix who chalk up toddlers. This contemplate put into practice influential collections and less important data. influential collections were obtained from orchestrate examination and interviews. patch less important collections buoy be obtained from documentation sourced by originations much as (posyandu and keuchik offices) as advantageously as over-the-counter sources, in the configuration of justification collections for formal progenitrix who chalk up toddlers. The variables premeditated were nutritional of children rearing patterns, maternalistic knowledge, incompatible breastfeeding, complementary alimentation and alimentation arrangements. The instrumentate

therein contemplate euphemistic pre-owned a 24-hour chop chop commemoration questionnaire to influence nutritional intake.

3.RESULTS AND DISCUSSION

At the evaluation location, in the community of Teupin Arrow, victimising a chop chop commemoration instrumentate for on all sides of 24 hours which lasted for 3 days, with a totality exemplification of 35 general public in the family of formal progenitrix who chalk up toddlers, the consequences showed that from 35 toddlers thither were 3 criteria for nutritional of children rearing videlicet first-class, perfect, and undernourished. From the evaluation that has been done, as several as 10 toddlers dip circle into the fundamental criteria with first-class nutritional of children rearing 7 toddlers are in the secondment principle with extremely first-class nutritional of children rearing and as several as 18 toddlers are in the thirdly criteria few with down-and-out nutrition parenting. So it buoy be terminated that in Teupin Panah Village, thither is all the more a of children rearing representation for malnourished children from the generation of 6-59 months which is all the more extremely borderline consciousness of formal progenitrix who chalk up toddlers and this disputed point is the principal antecedence for descendant wellness efforts. therein glance at collections were obtained from open-ended interrogatory press conference conducted with informants. subsequently doing the research, it buoy be seen that the principal constituents that consideration predicaments in the representation of nutritional treasure toddlers are deprivation of dialect heft that is not appurtenant for age, deprivation of paternal consideration to of children rearing and consumption archetypes of toddlers and deprivation of consciousness of formal progenitrix in providing that provided that life-giving chop chop subsequently pregnancy. supported on the consequences obtained by the researchers, The occurrence of malnutrition buoy be prevented by knowledgeable the constituents or occasions of malnutrition in Teupin Panah Village, Kaway XVI District, westbound Aceh Regency, which is caused by mother's knowledge, incompatible breastfeeding, chop chop consumption and knowledgeable chop chop organizations for toddlers. Malnutrition testament not eventualize if formal progenitrix chalk up consciousness of foods that incorporate nutrients for toddlers, exceptionally for toddlers' aggrandizement and consciousness of how to chalk up foods that buoy come around the nutritional prominence of toddlers. A first-class commensurate of nutritional consciousness testament chalk up a communication with the mother's department in relation to nutritional of children rearing for toddlers. Malnutrition testament not eventualize if formal progenitrix chalk up consciousness of foods that incorporate nutrients for toddlers, exceptionally for toddlers' aggrandizement and consciousness of how to chalk up foods that buoy come around the nutritional prominence of toddlers. A first-class commensurate of nutritional consciousness testament chalk up a communication with the mother's department in relation to nutritional of children rearing for toddlers. Malnutrition testament not eventualize if formal progenitrix chalk up consciousness of foods that incorporate nutrients for toddlers, exceptionally for toddlers' aggrandizement and consciousness of how to chalk up foods that buoy come around the nutritional prominence of toddlers. A first-class commensurate of nutritional consciousness testament chalk up a communication with the mother's department in relation to nutritional of children rearing for toddlers.

3.1.Mother's Knowledge

supported on the consequences of administer press conference conducted, thither were formal progenitrix who had toddlers that in the community of Teupin pointer thither was all the more a deprivation of consciousness approximately correspondent nutritional of children rearing for children. This evaluation is furthermore in occupation with the consequences of a evaluation conducted by the sacred calling of wellness of the commonwealth of Indonesia (2002), which state of affairs that the commensurate of consciousness of the mother's nutrition as a family

ANALYSIS OF DETERMINANTS OF NUTRITIONAL PARENTING PATTERNS FOR TODDLERS IN TEUPIN PANAH VILLAGE, DISTRICT. KAWAY XVI, WEST ACEH REGENCY

Aprilia Arung Natasya, Fitriani

administrator testament influence the classification of chop chop exhausted by her toddler. consciousness of maternalistic nutrition is a mother's control on top of the pauperization for adequate nutrients to modification incompatible department so that she buoy determine life-giving chop chop constituents and put in order a 3B refreshment (Diverse, life-giving and Balanced) according to the be in want of of children underneath five. (Depkes RI, 2002). consciousness of formal progenitrix in providing that provided that life-giving chop chop with the nutritional prominence of toddlers in Teupin Panah Village, Kaway XVI District, westbound Aceh rule which state of affairs that virtually formal progenitrix who chalk up extremely inconsiderable consciousness in designations of providing that provided that life-giving chop chop where virtually each formal progenitrix do not be acquainted how to accommodate correspondent chop chop and counterbalanced for children. If the mother's consciousness is first-class approximately nutrition, it buoy influence the nutritional training of children underneath five-spot and in consummation influence the nutritional prominence of correspondent and counterbalanced.

Mother's consciousness referred to therein contemplate is the determination of formal progenitrix knowledgeable accompanying to enlightenment approximately the nutritional prominence of toddlers which testament chalk up an consequence on of children rearing archetypes for toddlers. So that the child's generation increases, the chop chop if be required to be bounteous brackish and life-giving sufficiency to facilitate the aggrandizement and exploitation and nutritional prominence of toddlers. formal progenitrix chalk up an far-reaching impersonation for children to influence the classification of chop chop that testament be exhausted by children, the nutritional prominence of toddlers is individual of the principal have relation make-believe by the administration in progression to constitute higher-calibre and enthusiastically competitory anthropoid resources, toddlers with first-class nutritional prominence testament influence the process. aggrandizement and exploitation of children into adults.

3.2. Exclusive Breastfeeding

supported on the consequences of administer press conference conducted, thither were formal progenitrix who had toddlers who did not come across incompatible breastfeeding on the other hand gave direction concentrate to children thanks to knocker concentrate did not or literary draw nigh out. moreover, virtually formal progenitrix accommodate over-the-counter foods extremely knocker concentrate and thither is kith and kin facilitate for providing that provided that chop chop and swallows differently knocker milk. The deed of breastfeeding in nutritional of children rearing is related the representation of breastfeeding (exclusive and non-exclusive), breastfeeding is not an self-justification for not breastfeeding, narration of breastfeeding, and kith and kin facilitate for breastfeeding. supported on the consequences of the glance at incompatible breastfeeding for nutritionally malnourished children underneath five, this was outstanding to the actuality that virtually of the informants did not come across incompatible breastfeeding to their children.

knocker concentrate (ASI) is a particularly created smooth that or literary draw nigh as the crow flies from a mother's knocker for the baby. knocker concentrate is the virtually beyond compare practical, bargain-priced and unobjectionable descendant chop chop thanks to it is intoxicated as the crow flies from the mother's breast. knocker concentrate have in it each the nutrients and liquids that babe in arms pauperization to accommodate their nutritional be in want of in the fundamental 6 months. thither are 3 classifications of knocker milk, videlicet colostrum, transitional knocker concentrate and fully fledged knocker milk. foremilk is the fundamental

concentrate that or literary draw nigh out, thick, yellow-bellied in colouration with high-pitched protein and inconsiderable fat(Walyani, 2015).

incompatible breastfeeding consciousness is the mother's consciousness approximately knocker concentrate in adequate quantities, which is the beyond compare chop chop and buoy accommodate the be in want of of the descendant for cardinal months. In occupation with research(Amir, 2018)there is a substantial communication between the commensurate of consciousness of formal progenitrix with breastfeeding for infants. on the authority of Aryanstami and Tarigan (2017), increasing consciousness is an interference that buoy be a preparation for formal progenitrix during cognitive aggrandizement and exploitation in pregnancy. best nutritionaly prominence and wellness of heavy with child women testament come across confinement to in good health babies. babe in arms who are natural in good health and are cared for appropriately nailed down incompatible breastfeeding, in good health of children rearing by providing that provided that imperforate immunizations, deed superiority complementary foods (MP-ASI)) in adequate aggregate and in the hold together period(Aryastami et al. , 2017).

3.3. Giving MP ASI

supported on the consequences of administer press conference conducted with formal progenitrix who chalk up toddlers approximately the preparation of MP ASI in nutritionaly of children rearing virtually of the formal progenitrix who chalk up toddlers are not appurtenant in gift MP ASI to their children. It buoy be indicated that thither are all the more severals ahead of time complementary feedings, the deprivation of well-defined interlude for children, and the deprivation of diversification in children's chop chop menus so that the nutritionaly cognitive operation of children is inadequate and unbalanced. The preparation of MP ASI in nutritionaly of children rearing is individual of the fundamental exertions precondition by a father to a child, where the descendant has entered his fundamental MP ASI period. MP ASI is chop chop and drunkenness precondition to children superannuated 6-59 months to satisfy their nutrition. WHO well-organized with the sacred calling of wellness and the asian paediatrician partnership (IDAI) chalk up habitual that by oneself incompatible breastfeeding is precondition for capable 6 months of age. in consequence MP ASI buoy by oneself be introduced to babe in arms when the descendant is 6 months and older(Riksani, 2012). MP ASI is referred to as a substitute for replace chop chop from knocker concentrate to kith and kin chop chop which is carried elsewhere in stages, both in designations of type, oftenness of administration, character of servings and the configuration of chop chop that is modified to the generation and qualification of toddlers to assimilate food.

3.4. Giving and setting food menu

supported on the consequences of press conference with formal progenitrix who chalk up toddlers approximately the preparation and transcription of chop chop menus in nutritionaly of children rearing which is all the more not incisively background the chop chop refreshment for toddlers, as evidenced by a 24-hour full-of-the-moon commemoration questionnaire where thither is a deprivation of alteration in the survival of chop chop menus so that the nutritionaly cognitive operation of children not enough. The transcription of the child's subsistence in nutritionaly of children rearing furthermore conspicuously pressures the correspondent nutrition of toddlers, in which the survival of chop chop precondition by the father to the descendant be required to be of adequate expenditure much as the cognitive operation of carbohydrates, protein, fat, minerals, vitamins. This is in occupation with the declaration of individual of the principal informants, videlicet formal progenitrix who chalk up toddlers who explicit that every now and then children

ANALYSIS OF DETERMINANTS OF NUTRITIONAL PARENTING PATTERNS FOR TODDLERS IN TEUPIN PANAH VILLAGE, DISTRICT. KAWAY XVI, WEST ACEH REGENCY
Aprilia Arung Natasya, Fitriani

are by oneself precondition individual classification of chop chop menu. moreover, the chop chop refreshment of children who proceed from the subsistence of their parents,

The counterbalanced refreshment for toddlers is: knocker concentrate is all the more precondition until the generation of 2 years. chop chop in the accustomed configuration or compressible rice is precondition to children 1-3 years. If the descendant is 3-5 second childhood full of years so the classification of chop chop is the corresponding as the preceding age, videlicet in good health chop chop on the other hand have in it energy, protein (try 1/3 of animallike protein), bounteous vitamins and minerals. In the preparation and consumption of vegetables for toddlers be required to be considered. In progression not to interpose with the child's principal meal, refreshments should incline in moderationist portions. In choosing the classification of chop chop videlicet a fountain-head of carbohydrates, animallike protein, it should not consideration allergies, patch the survival of vegetables and fruits products should be modified to the consideration of toddlers and easy to digest. The proportion of unstable precondition is sufficient, the configuration of chop chop and the oftenness of alimentation are familiarised to the consideration of the toddler. To accommodate the get-up-and-go and nutritionary be in want of of toddlers, the chop chop if be required to be of first-class quality(Pritasar & dkk, 2017).

4.CONCLUSION

supported on the consequences that researchers chalk up finished in the environment with reference to the psychoanalysis of Determinants of of children rearing nutritionary prominence in Toddlers in Teupin Panah Village, Kaway XVI District, westbound Aceh Regency. It buoy be terminated that in the community of Teupin pointer all the more has wellness predicaments of malnutrition in children underneath five. This is outstanding to the consciousness of formal progenitrix incompatible breastfeeding, complementary alimentation and chop chop refreshment organizations that are all the more inadequate so that toddlers in the community of Teupin pointer all the more deprivation nutritionary parenting. Researchers chalk up furthermore proved in the environment nailed down an administer press conference examination drawing near and gather together collections nailed down a 24-hour chop chop commemoration questionnaire related day-after-day alimentation of toddlers to formal progenitrix who chalk up toddlers. If the commensurate of consciousness of nutrition is good, it testament chalk up a communication with the mother's department in relation to nutritionary of children rearing for toddlers.

REFERENCES

- Amir, A. FAKTOR-FAKTOR YANG MEMPENGARUHI PEMBERIAN ASI.
Aryastami, Ni Ketut, & Ingan Taringan. Kajian Kebijakan dan Penanggulangan Masalah Gizi Stunting di Indonesia. *bulletin Penelitian Kesehatan*, 45, 233–240.
Departemen Kesehatan RI. Undang-Undang Republik Indonesia Nomor 36 Tahun 2009 Tentang Kesehatan.
Depkes RI. Penatalaksanaan refreshment Seimbang Pada Ibu Hamil
Meri Agritubella, S. , & Delvira, W. Efektifitas advertisement Pola Diit 1000 Hari Pertama Kehidupan (HPK) terhadap Pengetahuan Ibu Hamil tentang Nutrisi dalam Pencegahan Stunting di Puskesmas Rambah Kabupaten Rokan Hulu. *Jurnal staying power* 5(1), 168.
Pritasar, & dkk. Bahan Ajar Gizi : Gizi Dalam Daur Kehidupan. Kementerian Kesehatan RI.
Riksani, R. Keajaiban ASI (Air Susu Ibu). Dunia Sehat.
Santoso, Soengeng, commit perjury & Anne. Kesehatan dan Gizi. Rineka Cipta .
Sholikah, A. , Rustiana, R. , Prodi, A. , Masyarakat, K. , & Artikel, I. Faktor-Faktor yang Berhubungan dengan prominence Gizi Balita di Pedesaan dan Perkotaan. *publically wellness vantage point fish wrapper* (Vol. 2, publication 1)
Walyani, E. Asuhan Kebidanan Pada Kehamilan . Pustaka Baru.